

3.43

LIBRARY
RECEIVED

U. S. Department of Agriculture

“ FLOREALP ”

CHAMPEX (Switzerland)

SEEDS

1939-1940

The Florealp garden is situated at nearly 5.000 feet of altitude, in the Swiss part of the Mont-Blanc chain, on the lake of Champex.

The nearest railway-station is Martigny-Orsières on the route of the Grand Saint-Bernard.

The conditions of growth of the plants are particularly favourable both concerning soil, which is a moraine-soil, and climate, a real alpine climate.

The seeds are packed with the greatest care. We warrant the authenticity of the species delivered. The seeds are gathered from strong and healthy plants, cultivated in their natural soil.

PRICE OF EACH PACKET. — Each seed packet costs -/11. They are good sized packets but rarer species give smaller quantities.

PRICES OF COLLECTIONS :

10 best kinds	6/-	} post paid
20 » »	10/-	
50 » »	20/-	

We put (*) for seeds which can be sold by weight. Please ask special offer.

TERMS. — The prices quoted are for cash on receipt of invoice.

Cheques to the order of J.M. AUBERT, Champex.

Packing and postage will be charged at cost price.

Seedorders amounting to 10/- are sent post paid.

All our parcels travel at Owner's Risk Rate.

Correspondance to be sent to J.M. AUBERT, Florealp Champex.

* <i>Acantholimon venustum</i>	— Watkinsii
<i>Achillea atrata</i>	— yunnanense
— <i>ambigua</i>	<i>Anemone albana</i>
— <i>Clavennae</i>	— <i>alpina</i>
— <i>clusiana</i>	— <i>armena</i>
— <i>filipendulina</i>	— <i>baldensis</i>
— <i>Kellereri</i>	— <i>blanda</i>
— <i>moschata</i>	— <i>dichotoma</i> (<i>pensylvanica</i>)
— <i>nana</i>	— <i>globosa</i>
— <i>Philipopoli</i>	— <i>Hepatica triloba</i>
— <i>serbica</i>	— <i>montana</i>
— <i>sericea</i>	— <i>narcissiflora</i>
— <i>tomentosa</i>	— <i>pulsatilla</i>
— <i>umbellata</i>	— <i>rivularis</i>
<i>Aconitum Anthora</i>	— <i>rubra</i>
— <i>napellus</i>	— <i>sulphurea</i>
<i>Adenophora Potanini</i>	— <i>sylvestris</i>
<i>Adenostyles albifrons</i>	— <i>vernalis</i>
— <i>alpina</i>	* <i>Angelica archangelica</i>
<i>Adonis pyrenaica</i>	<i>Antennaria carpatica</i>
<i>Aethionema grandiflorum</i>	— <i>dioica</i>
— <i>pulchellum</i>	— <i>neodoica</i>
— <i>schistosum</i>	<i>Anthericum ramosum</i>
* <i>Agrostema coronaria</i>	<i>Anthyllis montana</i>
* <i>Ajuga pyramidalis</i>	<i>Aquilegia alpina</i>
<i>Alchemilla alpina</i>	— <i>canadensis</i>
<i>Alyssum alpestris</i>	— <i>discolor</i>
— <i>idaeum</i>	— <i>glandulosa</i>
— <i>longicaule</i>	— <i>pyrenaica</i>
— <i>molleudonficanum</i>	— <i>hybrida</i>
— <i>orientale</i>	— <i>vulgaris</i>
— <i>ovirens</i>	<i>Arabis albida</i>
— <i>saxatilis</i>	— <i>coerulea</i>
— <i>saxatilis citrinum</i>	— <i>rosea</i>
— <i>spinulosum</i>	<i>Arenaria graminifolia</i>
— <i>spinulosum roseum</i>	— <i>laricifolia</i>
<i>Anacyclus depressus</i>	— <i>Ledebouriana</i>
<i>Androsace Brigantiaca</i>	— <i>montana grandiflora</i>
— <i>carinata</i>	— <i>purpureascens</i>
— <i>carnaea</i>	— <i>recurva</i>
— <i>ciliata</i>	* <i>Arctostaphylos Uva Ursi</i>
— <i>glacialis</i>	* <i>Armeria alpina</i>
— <i>hedracantha</i>	— <i>caespitosa</i>
— <i>Helvetica</i>	— <i>maritima</i>
— <i>imbricata</i>	<i>Arnica Chamissonis</i>
— <i>Septentrionale</i>	— <i>cordifolia</i>
— <i>lactea</i>	— <i>longifolia</i>
— <i>lactiflora</i>	— <i>montana</i>
— <i>laggeri</i>	<i>Aronicum scorpioides</i>
— <i>lanuginosa</i>	<i>Artemisia absinthium</i>
— <i>maerantha</i>	— <i>laxa</i>
— <i>oculata</i>	— <i>mutellina</i>
— <i>obtusifolia</i>	— <i>spicata</i>
— <i>pubescens</i>	— <i>valesiaca</i>
— <i>sarmentosa</i>	<i>Asarum canadense</i>
— <i>sempervivoide</i>	<i>Asclepias tuberosa</i>
— <i>villosa</i>	<i>Asperula cynanchica</i>
— <i>vitaliana</i>	— <i>odorata</i>
	* <i>Asphodelus luteus</i>

* <i>Aster</i>	<i>alpinus</i>	<i>Campanula turbinata</i>
— —	<i>alpinus albus</i>	<i>Cardamine trifoliata</i>
— —	<i>diplostephioides</i>	<i>Carlina acaulis</i>
— —	<i>himalaicus</i>	<i>Catananche coerulea</i>
— —	<i>Strachyi</i>	<i>Centaurea montana</i>
<i>Astragalus</i>	<i>alpinus</i>	<i>Centranthus angustifolius</i>
— —	<i>angustifolius</i>	— <i>ruber</i>
— —	<i>excapsus</i>	<i>Cephalaria alpina</i>
— —	<i>monspessulanus</i>	* <i>Cerastium argenteum</i>
— —	<i>Sikkimensis</i>	— <i>glaciale</i>
* <i>Astrantia</i>	<i>major</i>	— <i>lanatum</i>
— —	<i>minor</i>	<i>Chelone barbata</i>
* <i>Atragene</i>	<i>alpina</i>	<i>Cheiranthus Allionii</i>
<i>Aubrieta</i>	<i>deltoidea</i>	— <i>Cheirii</i>
— —	<i>Dr. Mules</i>	<i>Chrysanthemum arcticum</i>
— —	<i>Fire King</i>	— <i>Atkinsonii</i>
— —	<i>mélange</i> (mixed)	— <i>maximum</i>
<i>Azalea</i>	<i>procumbens</i>	<i>Cineraria aurantiaca</i>
<i>Bellis</i>	<i>coerulescens</i>	<i>Cirsium spinosissimum</i>
<i>Bellium</i>	<i>bellidiodes</i>	<i>Clematis vitalba</i>
<i>Betonica</i>	<i>grandiflora</i>	<i>Codonopsis ovata</i>
<i>Brassica</i>	<i>repanda</i>	<i>Convalaria majalis</i>
<i>Bupleurum</i>	<i>grandiuorum</i>	<i>Coreopsis oculata</i>
<i>Calamintha</i>	<i>stellatum</i>	— <i>grandiflora</i>
<i>Calceolaria</i>	<i>acynos</i>	* <i>Cortusa Matthioli</i>
<i>Caltha</i>	<i>polyrhiza</i>	<i>Corydalis cheilanthifolia</i>
<i>Campanula</i>	<i>palustris</i>	— <i>lutea</i>
— —	<i>adsurgens</i>	— <i>semperfivrens</i>
— —	<i>Allionii</i>	* <i>Coloneaster adpressa</i>
— —	<i>Argunensis</i>	— <i>congesta</i>
— —	<i>Aucherii</i>	— <i>myrtifolia</i>
— —	<i>barbata</i>	— <i>vulgaris</i>
— —	<i>barbata alba</i>	<i>Crepis pyamaea</i>
— —	<i>carpatica</i>	<i>Crocus vernus</i>
— —	<i>carpatica alba</i>	<i>Crucianella stylosa</i>
— —	<i>cenisia</i>	<i>Cupressus arizonica</i>
— —	<i>collina</i>	<i>Cyananthus incanus</i>
— —	<i>dahurica</i>	— <i>lobatus</i>
— —	<i>excisa</i> (rare)	— <i>pedunculatus</i>
— —	<i>garganica</i>	<i>Cyclamen europaeum</i>
— —	<i>garganica hirsuta</i>	— <i>Coum</i>
— —	<i>glomerata</i>	— <i>hederaefolium</i> (neapo- lit)
— —	<i>lactiflora</i>	<i>Cypripedium calceolus</i>
— —	<i>lanata</i>	<i>Cytisus purpureus</i>
— —	<i>latifolia</i>	<i>Daphne cneorum</i>
— —	<i>medium</i> var. <i>rosea</i>	— <i>cneorum major</i>
— —	<i>persicifolia alba</i>	— <i>mezereum</i>
— —	<i>Poscharskyana</i>	— <i>pontica</i>
— —	<i>pulla</i>	<i>Delphinium grandiflorum</i>
— —	<i>pusilla</i>	— <i>nudicaule</i>
— —	<i>pusilla alba</i>	— <i>zalil</i>
— —	<i>Raddeana</i>	* <i>Dianthus alpinus</i>
— —	<i>rhomboidalis</i>	— <i>arenarius</i>
— —	<i>rotundifolia</i>	— <i>arvernensis</i>
— —	<i>sarmatica</i>	— <i>caesius</i>
— —	<i>saxifraga</i>	— <i>caucasicus</i>
— —	<i>speciosa</i>	— <i>corsicus</i>
— —	<i>Stevenii</i>	— <i>cruentus</i>
— —	<i>spicata</i>	— <i>deltoides</i>
— —	<i>thyrosoidea</i>	

—	<i>deltoides</i> Brillant	—	<i>macradenum</i>
—	<i>glacialis</i>	—	<i>Manescavi</i>
—	<i>Grisebachii</i>	—	<i>Crispi</i>
—	<i>Knappii</i>	•	<i>Eryngium alpinum</i>
—	<i>neglectus</i>	—	<i>Bourgati</i>
—	<i>olgae</i>	—	<i>giganteum</i>
—	<i>plumarius</i>	—	<i>Eryngium glaciale</i>
•	<i>Roysii</i>	—	<i>hybridum</i>
—	<i>Sternbergii</i>	•	<i>Erysimum Allionii</i>
—	<i>subcaulis</i>	—	<i>purpureum</i>
—	<i>superbus</i>	•	<i>Eschscholzia aurantiaca</i>
—	<i>sylvestris</i>	—	<i>californica</i> vars
Dicylytra	<i>spectabilis</i>	•	<i>Euphorbia Myrsinoides</i>
•	<i>Digitalis grandiflora</i>	Festuca	<i>crinum-ursi</i>
—	<i>lanata</i>	—	<i>glaуca</i>
—	<i>lutea</i>	Gaillardia	<i>grandiflora</i>
—	<i>purpurea</i>	Gaura	<i>Lindheimeri</i>
Dictamnus	<i>fraxinellus</i>	Genista	<i>dalmatica</i>
Draba	<i>aizoides</i>	—	<i>junccea</i>
—	<i>alpina</i>	—	<i>pilosa</i>
—	<i>aurea</i>	—	<i>sagittalis</i>
—	<i>borealis</i>	—	<i>sulphurea</i>
—	<i>carinthiaca</i>	Gentiana	<i>acaulis</i>
—	<i>dubia</i>	—	<i>alpina</i>
—	<i>incana</i>	—	<i>amarella</i>
—	<i>Kotschyи</i>	—	<i>Andrewsii</i>
—	<i>nivalis</i>	—	<i>angulosa</i>
—	<i>tomentosa</i>	—	<i>asclepiadaea</i>
Dracocephalum	<i>botryoides</i>	—	<i>angustifolia</i>
—	<i>japonicum</i>	—	<i>bavarica</i>
—	<i>nutans</i>	—	<i>brachyphylla</i>
—	<i>Ruychianum</i>	—	<i>elliptica</i>
Drocera	<i>rotundifolia</i>	—	<i>Farreri</i>
Dryas	<i>Drummondii</i>	—	<i>Favrati</i>
—	<i>octopetala</i>	—	<i>Freyniana</i>
—	<i>Sundermannii</i>	—	<i>Froelichii</i>
—	<i>tenella</i>	—	<i>germanica</i>
Echinacea	<i>purpurea</i>	—	<i>imbricata</i>
Edraianthus	<i>dalmaticus</i>	—	<i>Lagodechiana</i>
Empetrum	<i>nigrum</i>	—	<i>lutea</i>
Epilobium	<i>Dodonai</i>	—	<i>ornata</i>
—	<i>Hectori</i>	—	<i>punctata</i>
—	<i>latifolium</i>	—	<i>Parryi</i>
—	<i>rosmarinifolium</i>	—	<i>Purdomi</i>
Eranthis	<i>hyemalis</i>	—	<i>purpurea</i>
Erica	<i>stricta</i>	—	<i>septempida</i>
—	<i>multiflora</i>	—	<i>sikkimensis</i>
Erigeron	<i>aurantiacus</i>	—	<i>straminea</i>
—	<i>aureus</i>	—	<i>utriculosa</i>
—	<i>compositus</i>	—	<i>verna</i>
—	<i>frigidus</i>	Geranium	<i>argenteum</i>
—	<i>glabellus</i>	—	<i>cinereum</i>
—	<i>glaucus</i>	—	<i>Endressi</i>
—	<i>neglectus</i>	—	<i>Fremonti</i>
Erinus	<i>alpinus</i>	—	<i>grandiflorum</i>
—	<i>hirsutus</i>	—	<i>Gruinum</i>
Eritrichium	<i>nanum</i> (rare) Roi des Alpes)	—	<i>ibericum</i>
Erodium	<i>amanum</i>	—	<i>sanguineum</i>
		—	<i>sanguineum album</i>
Geum		Geum	<i>atrococcineum</i>

—	atrosanguineum	Leontopodium alpinum (Edelweiss)
—	Borisii	Liatris graminifolia
—	Heldreichii	Lilium bulbiferum
—	montanum	— Chaixii
—	phaeum	— Martagon
—	reptans	— pomponium
Gillenia trifoliata		— pyrenaicum
Gladiolus communis		Linaria alpina
— palustris		— alpina concolor
Glaucium luteum		— organifolia
Globularia cordifolia		Linum campanulatum
— cordifolia alba		— collinum
— nana		— extra-axillare
— trychosantha		— flavum
— vulgaris		— narbonense
Gnaphalium supinum		— perenne
Goultheria pyrolaefolia		Lithospermum Gastoni
Gymnadenia albida		— graminifolium
Gypsophila cerastioides		— intermedium
— paniculata		— prostratum
— repens		* Lupinus polyphyllus
— tenuifolia		— polyphyllus var. rose
Helianthemum aureum		Luzula lutea
— Brillant		Lychnis alpina
— Old Gold		— alpina var. alba
— Pritchardi		— coronaria
— roseum		— chalcedonica
— en mélange		— flos Jovis
Helichrysum anatolicum		— Haageana
Heliopsis acabra		— viscaria
* Helleborus niger		— viscaria alba
* Heracleum Mantegazzianum		Marrubium libanoticum
* Heuchera sanguinea		* Matthiola valesiaca
Hieracium aurantiacum		Meconopsis Baileyi
— bomby cinum		— cambrica
Hippocrepis comosa		— horridula
Homogyne alpina		— nepalensis
Horminum pyrenaicum		— paniculata
Hutchinsia alpina		— simplicifolia
Hypericum Coris		— Wallichii
— repens		Mertensia echooides
Hyssopus officinalis		— paniculata
Iberis gibraltarica		— sibirica
— sempervirens		— primuloides
— Snow flake		Meum mutellinum
* Incarvillea Delavayi		Micromeria Piperella
— grandiflora		* Monarda dydima
Inula ensifolia		* Mulgedium alpinum
— glandulosa		— Bourgaei
— Helenium		* Nepeta Mussini
— magnifica		Nigritella angustifolia
— montana		* Oenothera macrocarpa
* Iris sibirica		— pumila
— — — alba		Ononis cenisia
* Jasione perennis		— fruticosa
Kernera saxatilis		— natrix
Lavendula spica		— rotundifolia

Onosma Helvetica	* Primula denticulata
— rupestris	— farinosa
Oxyria digyna	— Florindae
Oxytropis montana	— frondosa
Paeonia tridentata	— glaucescens
* Papaver alpinum	— hirsuta (viscosa)
— croceum	— japonica
— nudicaule	— japonica alba
— pyrenaicum	— longiflora
* Paradisia liliastrum	— macrophylla
Parnassia palustris	— marginata
Pentstemon coeruleus	— Mooreana
— Edithae	— muscarioides
— gracilis	— officinalis
— hirsutus	— pseudo-sikkimensis
— humilis	— pulverulenta
— linariooides	— purpurea
— proccrus nanus	— rosea splendens
Physostegia virginiana	— sibirica
Phyteuma hemisphaericum	— Sikkimensis
— Scheuchzeri	— villosa
— spicatum	— Waltonii
Pinguicula vulgaris	— Wardii
Podophyllum Emodi	— Weststeinii
* Polemonium carneum	— Wulfeniana
— coeruleum	Pyrethrum argenteum
— elegans	— Tschihatschefii
— humile	Ramondia Nathaliae
Polygala Chamaebuxus	Ranunculus aconitifolia
— Veyredae	— anemonoides
Polygonum viviparum	— graminens
Potentilla atrosanguinea	— parnassifolius
— aurea	— sommieri
— Griffithii	— alpestris
— nepalensis	— glacialis
— nepalensis Roxana	— montanus
— nitida	— pyrenaeus
— multifida	— rutaefolius
— pyrenaica	Reseda glauca
— Salesowiana	Rhododendron chamaecistus
— valderia	— ferrugineum
Prenanthes purpurea	* Rosa alpina
Primula auricula (type al- pin)	Rudbeckia hirta
— auricula italicica	— purpurea
— Beesiana	Ruta graveolens
— cachemiriana	Sagina procumbens
— cachemiriana alba	Salix herbacea
— calycina	— reticulata
— capitata	— retusa
— capitellata	Saponaria caespitosa
— Chionantha	— ocyroides
— Clusiana	Satureya repanda
— Cockburniana	Saussurea alpina
— conspersa	— Hypoleuca
— crispatia	* Saxifraga aizoides
— darialica	— aizoon (mélange hy- — bride)
	— aspera
	— biflora
	— Brunoniania

bryoides	Kapaornikense
caespitosa	montanum
cartilaginea	Pittoni
cotyledon	rubicundum
cotyledon lingulata	Schlehani
crassifolia	tectorum
crustata	Senecio abrotanifolius
cuneata	aurantiacus
cuneifolia	Doronicum
decipiens var. rosea	incanus
diapensioides	Przewalskyi
diversifolia	tyroliensis
Geum	uniflorus
Kolenatiana	Veitchianus
Lantoscana	Seseli caespitosa
lingulata	Sibbaldia procumbens
lingulata Alberti	Silene acaulis
longifolia	alpestris
longifolia x cotyledon	bryoides
Malyi	bryoides flore pleno
micranthidifolia	caroliniana
muscoides	legionensis
oppositifolia	maritima
pedemontana	maritima alba
primuloides	rupestris
pyramidalis	saxifraga
rhaetica	schafta
Rhei rosea	sendtneri
rotundifolia	* Soldanella alpina
Tenella	Solidago alpestris
umbrosa	Statice latifolia
Zimmerteri	Streptopus amplexifolius
* Scabiosa caucasica	Tanacetum balsamitum
— graminifolia	Swertia perennis
Scutellaria alpina	Teucrium pyrenaicum var. filiformis
Scutellaria alpina alba	Thalictrum aquilegifolium
— orientalis	— Delavayi
Sedum aizoon	— dipterocarpum
— amplexicaule	Thlaspi rotundifolium
Anacampseros	— Delavayi
— anopetalum	— dipterocarpum
brevifolium	Thymus serpyllum
corsicum	Tofieldia calyculata
dasyphyllum	Townsendia Wilcoxiana
Ducei	Trifolium alpinum
Ewersii	Trollius dahuricus
gracilis	— europaeus
Kamtschaticum	— pumilus
Kirilowii	Tunica saxifraga
lydium	Umbilicus chrysanthus
Middendorfianum	— Pestalozzae
obtusatum	Umbilicus spinosus
pilosum	Vaccinium
Spathulifolium var. purpureum	— vitis idaea
spurium	Valeriana montana
spurium splendens	— Saliunca
stoloniferum	— Tripteris
Sempervivum arachnoideum	— supina
— Heuffeli	Veronica Allionii

—	alpina	—	cornuta alba
—	aphylla	—	cornuta coerulea
—	armena	—	cornuta Wermig
—	bellidifolia	—	heterophylla
—	caespitosa	—	lutea
—	gentianoides	—	palustris
—	fruticulosa	—	papilionacea
—	incana	—	Patrini
—	paniculata	—	pinnata
—	rupestris	—	Riviniana rosea
—	saxatilis	—	saxatilis aethiolica
—	spicata var. nana	—	splendida
Viola	arenaria	—	violacea
	biflora	—	zoysii
	bosniaca	Vittadenia	triloba
	cenisia	Wulfenia	carinthiaca